



Turpentine Oil

Technical Data Sheet
midhills

Latest Updated 05/08/2019

REMARK

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers requirements.,if there are any changes the latest specification will be executed and confirmed in the contract.

midhills

Turpentine Oil

- Laboratory chemicals, Industrial & for professional use only.
- Used as a solvent.
- Used in a source of raw materials in the synthesis of fragrant chemical compounds.

- Galvanised iron drums 205 litres each.
- Accept OEM order.

Precautionary statements

- Avoid release to the environment.
- Wear protective gloves/ protective clothing.
- IF SWALLOWED Immediately call a POISON CENTER/doctor.
- IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Do NOT induce vomiting.

Hazard Statements

- Flammable liquid and vapour.
- Harmful if swallowed, in contact with skin or if inhaled
- May be fatal if swallowed and enters airways.
- May cause an allergic skin reaction.
- Causes serious eye irritation.

Appearance	Transparent clear oily liquid
Color, Gardner	Water white to slightly yellow
Acid Value, mgKOH/g	0.5 max
Refractive Index, @ n ₂₀ /D	1.467 to 1.471
Relative Density, @ d ₂₀ /4	0.870
Distilling Point, °C	150 min
Distillation Range, @170°C, % v/v	90 min
Contents of α Pinene and β Pinene, GLC.	25% to 35%, 5% to 8%